

## **ATTACHMENT** 1

## GENERAL NOTES LOAD FACTOR DESIGN or LOAD AND RESISTANCE FACTOR DESIGN

(choose one, based on which criteria is used for the superstructure)
Use ONE of the following:
DESIGN: Bridge Design Specifications ('96 AASHTO w/Revisions by Caltrans);
or
DESIGN: AASHTO LRFD Bridge Design Specifications, X edition and the Caltrans Amendments, preface dated
or
DESIGN: AASHTO LRFD Bridge Design Specifications, X edition and the Caltrans Amendments, preface dated; except that,, and (engineer fills in this list; such as geotechnical design of deep foundations, earth retaining systems, bridge (incl. barrier and railing) details taken from Standard Plans March 2006 and earlier versions, Standard Bridge Details XS sheets, etc) are designed using Bridge Design Specifications ('96 AASHTO w/Revisions by Caltrans).
SEISMIC DESIGN: Caltrans Seismic Design Criteria (SDC), Version X.X dated
DEAD LOAD: Includes 35 psf for future wearing surface. The deck load between the girders has been increased by a factor of 10% to allow for the use of steel deck forms. (where appropriate)
LIVE LOADING: HL93 and permit design load.
SEISMIC LOADING: Soil profile type (choose from A through F from SDC) Magnitude group (choose from 6.5 +/- 0.25, 7.25 +/- 0.25, 8.0+ /- 0.25) Peak Rock Acceleration 0.xg (Alternatively, show site-specific acceleration response spectra curve.)
CONCRETE: $f_y = 60 \text{ ksi}$
$f_C' = 3.6 \text{ ksi}$
n = 8 See prestressing notes.
STRUCTURAL STEEL (new construction) $f_y = ASTM A709 Grade 50$ Steel Pipe Piles: ASTM XXX
STRUCTURAL STEEL (ASSUMED FOR EVALUATION OF EXISTING STRUCTURE) ASTM A7 $\rm f_{\rm y} = 39~ksi$